


SPIRIT
Scanner 361



L.O.A:	11,30 m	D.W.L:	9,60 m
B.O.A:	3,38 m	Draft:	1,95 m
Displacement:	5,6 ton	Disabilities (LYS):	125
Keel (lead):	2 100 kg	Sail numbers:	34
Production year :	2009	Constructor:	Nils-Eric Olofsson



19/20 rig with double swept back spreaders



Furlex and bow ladder



Forward cabin with double wardrobes

Warm and cozy main cabin with good of stowage



Galley with W/C-water, sea-water, cooling and gas stove

Port: Aft cabin with
double berth and wardrobe



Starboard: WC with
shower and oilskin locker



Chart table with electric panel,
AIS, VHF-DSC, Navtex, FM/CD



Integrated nav instruments
with AIS information



Cockpit with speakers
and fold-up table



Pulled down halyards
and reefs



Transom with bathing
and shower



Single Linne Reef & Lazyjack



Solar panel, traveller and
rodkick with gas lift



**Self-tacking jib
with glider batten**



Full-batten mainsail

Equipment list for s/y Spirit (Scanner 361-34)

Sail
Full-batten mainsail (laminat)
Self-tacking jib (laminat)
Main- & headsail cover (2010)
Lazy Jack
Gennaker including stocking cover (2011)

Deck equipment
Sprayhood (arcs & handrail in stainless)
Mooring lines
Anchors of type Bruce (stainless)
Ankarolina (56 m)
Anchor davit of type NOAB
Extra anchor with rope
Fenders including protection (6 pcs)
Bow and Stern pulpit incl. lifelines
Bath and bow ladder
Flagpole
Cockpit table
Steering wheel with cover (divisible)

Electronics
12 V/70 Amp batteries (4 pcs)
Battery charger 25 Amp
Shore incl. RCDs & distribution box
1 psc 220V power (cabin)
2 psc 12V power (cabin + cockpit)
Silva VHF DSC med NAVTEX & GPS
VHF-antenna incl. Windex
Isotherm cooling
Isotherm heater 24 l (2014)
Eberspracher diesel heater (4 st outlet)
Raymarine Wind instruments
Raymarine Log
Raymarine Sounder
Raymarine Autopilot
Raymarine Navplotter A70
Solar panel 25 W
Inverter (12V → 220V)
Shower bathing
Anchor and sails lantern (masthead, LED)
Deck light
True Heading AIS CTRX Carbon

Engine
Volvo Penta D1-30 (29 hpr, 3 cyl)
Folding propeller (3 blade)
Fuel tank (Stainless 85 l)
125 time hours

Interior
WC with wash basin and shower
Holding tank (Stainless 60 l)
Fresh water (Stainless 200 l)
Gas stove with oven (LPG)
Double sinks (Stainless)
Fresh and sea water faucet
Coolingbox (60 l)
Curtains
Skylights with mosquito net (2 psc)
Portlights with mosquito net (1 psc)

For more info: www.scanyacht.se

Other
Seldén 9/10 rig with double spreaders
Seldén Rodkick
Seldén Furlex
Turnbuckle protection (6 psc)
Backstay adjuster (16 interchange)
All halyards and reefs pulled down
Halyards bags (2 psc)
Withlock steering pedestal incl. compass
Steering wheel cover
Cockpit cover
Teak in cockpit

Safety equipment
Lifebuoy with light
Rescue line
Fire extinguisher (2 psc)
Fire blanket
Fire port (engine room)
Chronometer (clock) and barometer
Radar reflector
Hull fixed bilge pump (electric/manual)